



ONYX Series Version 29.01 Foreign Language Firmware Release Notes

June 2022

NS2-640 version 29.01.08 is the latest production firmware version and includes the following modifications:

- Cyber Security enhancements
- Spanish/French/Portuguese support

Requirements:

- Version 29.0 is the latest release of firmware requires VeriFire Tools version 11.62 or higher
- Recommended firmware versions for ONYX series panels on NOTI-FIRE-NET with version 29.0 panels:
 - NFS-3030 version 2.13.2
 - LCM-320 version 17.0.5
 - LCD-160 version 2.7.2
 - NFS2-3030 version 29.01.01
 - LCM-320 version 17.0.5
 - LCD-160 version 11.0.3
 - NFS-640 version 3.17.1
 - NFS2-640 version 29.01.07
 - NFS-320 version 29.01.07
 - NCA version 3.12.4
 - NCA-2 version 29.01.07
 - LCD-160 version 11.00.03
 - NCM-PCA version 3.60.6
 - NCM-PCB version 10.3.1
 - HS-NCM-PCA version 20.5.9
 - HS-NCM-PCB version 30.16.1
 - HS-NCM-W2 version 31.00.46
 - DVC version 8.11.5
 - DAA version 003.070.001
 - DAA2 version 001.090.001
 - DAX version 001.030.001
 - DS-DB version 001.050.001
 - DS-AMP version 001.001.001
 - DVC-RPU version 002.003.001
 - CLSS Gateway version 003.000.003.132
- If version 29.0 firmware will be used on Noti-Fire-Net version 5.0 or higher ONYXWorks must be version 4.0 or higher. NCS does not support this version of NFS2-3030 firmware, upgrade to ONYXWorks.

Previous Version

November 2021

NFS-320 version 029.000.003 (29.00.03) is the latest production firmware version and includes the following modifications:

- Support for UL 268 7th Edition. Detector sensitivity default setting has been changed to comply with UL 268 7th Edition.
- Cyber Security enhancements

NFS2-640 version 029.000.003 (29.00.03) is the latest production firmware version and includes the following modifications:

- Support for UL 268 7th Edition. Detector sensitivity default setting has been changed to comply with UL 268 7th Edition
- Cyber Security enhancements

NFS2-3030 version 029.000.004 (29.00.04) is the latest production firmware version and includes the following modifications:

- Support for UL 268 7th Edition. Detector sensitivity default setting has been changed to comply with UL 268 7th Edition
- Added Option to Disable Active Output Message
- Cyber Security enhancements

NCA-2 version 029.000.004 (29.00.04) is the latest production firmware version and includes the following modifications:

- Cyber Security enhancements